


Uncontrolled Copy

THREAD 5.08mm PITCH (5 TPI)



ACTUAL SIZE

TOLERANCE UNLESS OTHERWISE STATED  $\pm 0.4\text{mm}$   
ALUMINIUM WAD STANDARD APPLICATION TORQUE - 5.7Nm

	G	1246	30/08/95
	F	993	29/11/93
Notes	Issue	Amend.	Date
	Drawn	KP	11/11/93
	Checked	PR	28/11/93

**BERICAP** U.K.  
Oslo Road,  
Sutton Fields Ind. Est.  
Hull, HU7 0YN  
ENGLAND  
FAX: 01482 832839  
TEL: 01482 826666

This information is for guidance only. It is the responsibility of the individual users to carry out their own tests to establish suitability of product for particular applications, e.g. chemical compatibility, UN torque requirements, etc.

This drawing is the property of Bericap U.K. It is confidential and must not be copied or shown to third parties.

Product: 59MM ROUND CAP  
Title: PRODUCT DRAWING  
Material: .26mmTP

Application Torque	Drq. No.	Sht.
Std: 4.5 Nm / UN: 4.5 Nm	MP948035/G	01
Scale: 3.1	Neck Profile	

## ALPHASEAL

**Uncontrolled Copy**

### PVDC 40UP

White base paper coated with a Polyvinylidene Chloride (PVDC) resin, unpigmented.

Paper Grammage            Nominal 70 gsm

Coat Weight                Nominal 40 gsm

Pinholes/sq. m             7 maximum

Meets requirements of FDA Regulation 21CFR 176.170, "Food Packaging Recommendations and Communications of the West German Federal Health Office (BGA)", and "Materials and Articles in Contact with Food Regulations", 1987 No. 1523.

### TESTING

The technical information contained herein is based on our tests and on information believed to be reliable, but we can assume no responsibility for the function of these materials in operation not under our direct control. No guarantee of the behaviour of these materials is either expressed or implied in this information sheet. We strongly recommend that laboratory tests are carried out to determine the suitability of the liner material being considered for any given application.

This information does not preclude the necessity for you to check the suitability of our product for its intended use. In this respect please see Clause 8 of our Conditions of Sale.

**PVDC40UP/02/02**

Uncontrolled Copy

### WHITE LINED FOLDING BOX BOARD

Nominal Caliper - 750 micron (0.75 mm) or 900 micron (0.90 mm).

Meets FDA Regulations 21CFR 176.180, 176.280, 176.320 for direct contact with dry, moist and fatty foodstuffs.

Meets "Food Packaging Recommendations and Communications" of the German Federal Health Office (BGA), and

UK "Materials and Articles in Contact with Food Regulations", SI 1523, 1987.

#### TESTING

The technical information contained herein is based on our tests and on information believed to be reliable, but we can assume no responsibility for the function of these materials in operation not under our direct control. No guarantee of the behaviour of these materials is either expressed or implied in this information sheet. We strongly recommend that laboratory tests are carried out to determine the suitability of the liner material being considered for any given application.

This information does not preclude the necessity for you to check the suitability of our product for its intended use. In this respect please see Clause 8 of our Conditions of Sale.

**FBB/02/02**