

## HardMark Blue Chalk Refill

- HardMark Blue is a Crescent Lufkin proprietary marking chalk designed to be a brighter blue for increased line visibility, regardless of the light condition or surface
- High visibility blue chalk designed to be three times more visible than standard chalks
- Unique bottle geometry prevents the bottle from rolling on sloped surfaces
- Easy-fill bottle top design allows chalk to flow faster for quick refills



Cat. No.	Chalk Color	Chalk Volume	Product Weight
C808BA	Hardmark Blue	8 oz	0.572 lb
C825BA	Hardmark Blue	2.5 lbs	2.750 lb

## 8 oz Chalk Refill

- Marking chalk for use with chalk reels
- Unique bottle geometry prevents the bottle from rolling on sloped surfaces
- Easy-fill bottle top design allows chalk to flow faster for quick refills



Cat. No.	Chalk Color	Chalk Volume	Product Weight
C808B	Blue	8 oz	0.572 lb
C808BL	Black	8 oz	0.572 lb
C808R	Red	8 oz	0.572 lb
C808Y	Yellow	8 oz	0.572 lb

## 2.5 Lbs Chalk Refill

- Marking chalk for use with chalk reels
- Unique bottle geometry prevents the bottle from rolling on sloped surfaces
- Easy-fill bottle top design allows chalk to flow faster for quick refills



Cat. No.	Chalk Color	Chalk Volume	Product Weight
C825B	Blue	2.5 lbs	2.750 lb
C825R	Red	2.5 lbs	2.750 lb

## Atlas® Chrome Clad® / Nubian® Double Duty

- Heavy-duty frame designed for years of rugged use
- All frames include a grounding strap
- Plumb bob must be ordered separately



Cat. No.	Bob Cut	Blade Width	Blade Length	Blade Style	Product Weight
CN1290T2SF5N	590	1/2 in	18 ft	D1	1.60 lb
CN1290S F590N	590	1/2 in	25 ft	D1	1.60 lb
CN1291S F590N	590	1/2 in	33 ft	D1	1.90 lb
CN1293S DF590N	590	1/2 in	50 ft	D2	2.20 lb
CN1293S F5971N	5871/2	1/2 in	50 ft	D1	2.30 lb
CN1293S F590N	590	1/2 in	50 ft	D1	2.20 lb
CN1294S F5871N	5871/2	1/2 in	66 ft	D1	2.70 lb
CN1294S F590N	590	1/2 in	66 ft	D1	2.60 lb
CN1295S F590N	590	1/2 in	75 ft	D1	2.90 lb
CN1296S F590N	590	1/2 in	100 ft	D1	3.56 lb
CN1296S MEN	590	1/2 in	8 m, 26 ft	D3	1.80 lb
CN1293S MEF90N	590	1/2 in	15 m, 50 ft	D3	2.30 lb
CN1294S MEF90N	590	1/2 in	20 m, 66 ft	D3	2.60 lb
CN1295S MEF90N	590	1/2 in	23 m, 75 ft	D3	2.88 lb
CN1296S MEN	5871/2	1/2 in	23 m, 75 ft	D3	2.70 lb
CN1296S MEF90N	590	1/2 in	30 m, 100 ft	D3	3.980 lb
CN1298S MEF90N	590	1/2 in	38 m, 125 ft	D3	4.20 lb

## Atlas® Chrome Clad®

- Heavy-duty frame designed for years of rugged use
- All frames include a grounding strap
- Blade counts graduated feet down to 1/8th inches, for instantaneous foot readings
- Plumb bob must be ordered separately



Cat. No.	Bob Cut	Blade Width	Blade Length	Blade Style	Product Weight
C1290T12SFN	590	1/2 in	18 ft	D4	1.60 lb
C1290S F590N	590	1/2 in	25 ft	D4	1.80 lb
C1291S F590N	590	1/2 in	33 ft	D4	1.90 lb
C1293S F590N	590	1/2 in	50 ft	D4	2.30 lb
C2910MMEF590N	590/GM	13 mm, 1/2 in	10 m, 33 ft	D6	1.95 lb
C2915MMEF590N	590/GM	13 mm, 1/2 in	15 m, 50 ft	D6	2.35 lb
C2920MMEF150MM	150 mm	13 mm, 1/2 in	20 m, 66 ft	D6	2.50 lb
C2920MMEF590N	590/GM	13 mm, 1/2 in	20 m, 66 ft	D6	2.70 lb
C2930MMEF590N	590/GME	13 mm, 1/2 in	30 m, 98 ft	D6	3.95 lb

### Atlas® Nubian®

- Heavy-duty frame designed for years of rugged use
- All frames include a grounding strap
- Blade protected by fit-wed-on epoxy coating
- Ideal for gauging clear oils
- Plumb bob must be ordered separately



Cat. No.	Bob Cut	Blade Width	Blade Length	Blade Style	Product Weight
1290SF90N	590	1/2 in	25 ft	D5	1.70 lb
1293SF90N	590	1/2 in	50 ft	D5	2.30 lb
1293SM590N	590	13 mm, 1/2 in	15 m, 49 ft	D7	1.90 lb

### Atlas® Stainless Steel®

- Heavy-duty frame designed for years of rugged use
- All frames include a grounding strap
- Designed for use in highly corrosive solutions
- Stainless steel blade resists corrosion
- Plumb bob must be ordered separately
- Recommended plumb bob: S590N



Cat. No.	Bob Cut	Blade Width	Blade Length	Blade Style	Product Weight
S1291F590N	590	1/2 in	33 ft	D4	1.50 lb
S1293F590N	590	1/2 in	50 ft	D4	2.00 lb

### Inage Oil Gauging Plumb Bobs


- For use in heavy oils
- Cylindrical shaped



Cat. No.	Weight	Description	SAE/Metric	Measuring Range	Material	Length
590GN	20 oz	Cylindrical, Reads Up	SAE	0 in - 6 in	Brass	6.75 in
590GMN	20 oz	Cylindrical, Reads Up	Metric	0mm - 150mm	Brass	6.75 in
590GMEN	20 oz	Cylindrical, Reads Up	SAE/Metric	0 in - 6 in 0mm - 150mm	Brass	6.75 in
TTS90N	20 oz	Cylindrical	No Markings	No Markings	Brass	6.75 in
SS90N	20 oz	Cylindrical	No Markings	No Markings	Stainless Steel	6.75 in

### Outrage Oil Gauging Plumb Bobs

- Square-shaped solid brass bob
- Eye milled from solid brass block (not removable)
- Zero falls inside top of hook eye
- 3/4"/19mm square, 67/152mm overall length



Cat. No.	Weight	Description	SAE/Metric	Measuring Range	Material	Length
58712N	20 oz	Square	SAE/Metric	0 in - 6 in 0mm - 150mm	Brass	6 in
T150MMN	20 oz	Square	Metric	0mm - 150mm	Brass	6 in

### Anchor® Replacement Blade

- Anchor® replacement blade for C2130N



Cat. No.	Blade Style	Fits Product Number	Blade Width	Blade Length	Product Weight
002130N	B5	C2130N	3/8 in	50 ft	0.80 lb

### Artisan® Replacement Blade

- Artisan® replacement blade for 120PN



Cat. No.	Blade Style	Fits Product Number	Blade Width	Blade Length	Product Weight
0120PN	B12	120PN	3/8 in	20 ft	0.30 lb

## Atlas<sup>®</sup> Stainless Steel Replacement Blades

- Atlas<sup>®</sup> replacement blade



Cat. No.	Blade Style	Fits Product Number	Blade Width	Blade Length	Product Weight
OS1291SF590N	D4	1291HF590N	1/2 in	33 ft	0.70 lb
OS1293SF590N	D4	1293HF590N	1/2 in	50 ft	0.90 lb

## Atlas Chrome Clad<sup>®</sup> / Nubian<sup>®</sup> Double Duty Replacement Blades

- Atlas Chrome Clad<sup>®</sup> / Nubian<sup>®</sup> Double Duty replacement blade



Cat. No.	Blade Style	Fits Product Number	Blade Width	Blade Length	Product Weight
OC1290T2SF59N	D4	C1290T2SFN	1/2 in	18 ft	0.50 lb
OCN129012SF5N	D1	CN129012SF5N	1/2 in	18 ft	0.50 lb
OCN12905F590N	D1	CN12905F590N	1/2 in	25 ft	0.60 lb
OCN1291S1F590N	D1	CN1291S1F590N	1/2 in	33 ft	0.80 lb
OCN1293S1F590N	D1	CN1293S1F590N	1/2 in	50 ft	1.10 lb
OCN1294S1F590N	D1	CN1294S1F590N	1/2 in	66 ft	1.50 lb
OCN1295S1F590N	D1	CN1295S1F590N	1/2 in	75 ft	1.70 lb
OCN1296S1F590N	D1	CN1296S1F590N	1/2 in	100 ft	2.20 lb
OCN1298S1F590N	D3	CN1298S1F590N	13 mm, 1/2 in	15 m, 50 ft	1.20 lb
OCN1294SMEF5N	D3	CN1294SMEF5N	13 mm, 1/2 in	20 m, 66 ft	1.60 lb
OCN1296SMEF5N	D3	CN1296SMEF5N	13 mm, 1/2 in	38 m, 100 ft	2.65 lb

## Atlas Chrome Clad<sup>®</sup> Replacement Blades

- Atlas Chrome Clad<sup>®</sup> replacement blade



Cat. No.	Blade Style	Fits Product Number	Blade Width	Blade Length	Product Weight
OC1290SF590N	D4	C1290SF590N	1/2 in	25 ft	0.85 lb
OC1291SF590N	D4	C1291SF590N	1/2 in	33 ft	0.80 lb
OC2910MMEF59N	D6	C2910MMEF59N	13 mm, 1/2 in	10 m, 33 ft	0.80 lb

## Atlas Nubian<sup>®</sup> Replacement Blades

- Atlas Nubian<sup>®</sup> replacement blade



Cat. No.	Blade Style	Fits Product Number	Blade Width	Blade Length	Product Weight
01290SF590N	D4	1290SF590N	1/2 in	25 ft	0.60 lb
01293SF590N	D4	1293SF590N	1/2 in	50 ft	1.00 lb

## Challenge<sup>™</sup> Replacement Blade


- Challenge<sup>™</sup> replacement blade for 261PTH



Cat. No.	Blade Style	Fits Product Number	Blade Width	Blade Length	Product Weight
0261PTHN	B11	261PTHN	3/8 in	33 ft	0.40 lb

## Super Hi-Way<sup>®</sup> Nubian<sup>®</sup> Replacement Blades

- Nominal thickness 0.017"
- Lines have a blank space at each end
- Extra foot before zero graduated right to left to 1/10ths and 1/100ths
- Balance marked every foot except last foot of each 100' length, 100ths



Cat. No.	Fits Product Number	Blade Width	Blade Length	Product Weight
091008H	Super Hi-Way <sup>®</sup> Nubian <sup>®</sup> 5/16" X 100'	5/16 in	100 ft	2.20 lb
092008H	Super Hi-Way <sup>®</sup> Nubian <sup>®</sup> 5/16" X 200'	5/16 in	200 ft	3.60 lb
093008H	Super Hi-Way <sup>®</sup> Nubian <sup>®</sup> 5/16" X 300'	5/16 in	300 ft	5.90 lb

## Derrick Replacement Blades

- Derrick replacement blade



Cat. No.	Blade Style	Fits Product Number	Blade Width	Blade Length	Product Weight
0C2276DN	E1	C2276DN	1/4 in	100 ft	1.60 lb
0C2276MEN	E2	C2276MEN	6 mm, 1/4 in	30 m, 100 ft	0.700

## Home Shop Replacement Blades

- Replacement blade



Cat. No.	Blade Style	Fits Product Number	Blade Width	Blade Length	Product Weight
0Y50	B1	HW50, 50	3/8 in	50 ft	0.40 lb
0Y100	B1	HW100	3/8 in	100 ft	0.80 lb

## Western® Replacement Reel

- For 1/4" or 5/16" X 100' lengths of steel tapes only
- Reel is nickel-plated, 2-arm with rollers in each arm for smooth winding
- Oversize drum with long, one-piece winding handle, quick return of line
- 2 arm reel



Cat. No.	Fits Product Number	Blade Width	Blade Length	Style of Case or Reel	Product Weight
T31100N	Fits 100 ft Tapes Only	1/4 in	100 ft	2 Arm	1.40 lb

## Engineering and Surveying Replacement Reel

- For 1/2" X 75' Chrome Clad® and gauging tapes
- Reel is nickel-plated, 4-Arm with rollers in each arm for smooth winding
- Oversize drum with long, one-piece winding handle, quick return of line
- 4 arm reel



Cat. No.	Arms	Fits Product Number	Blade Width	Blade Length	Product Weight
9175N	4	Chrome Clad and Gauging Tapes	1/2 in	75 ft	1.30 lb

## 31 Series Over 100' Length Replacement Reels

- For over 100' lengths
- Chrome 4 arm frame
- Not all replacement parts are sold separately



Cat. No.	Arms	Blade Width	Blade Length	Product Weight
31300N	4	1/4 in	100 ft	3.10 lb
31200N	4	5/16 in	200 ft	3.00 lb

## 81 and 91 Series Chrome Clad® and Gauging Tape Replacement Reel

- For 3/8" 10mm and 1/2"/13mm widths - Chrome Clad® and gauging tapes
- Chrome 2 arm frame
- Not all replacement parts are sold separately



Cat. No.	Arms	Blade Width	Blade Length	Product Weight
9150LN	2	1/2 in	50 ft	1.20 lb