



## MATERIAL SAFETY DATA SHEET

### MMC KETAMINE TEST

Trade Name: MMC Ketamine test  
Application: Presumptive Screening test for the determination of ketamine powder and ketamine liquid.  
Product Description: (MMC Reagent) Glass ampoule, containing a small amount (25-50 microgram Cobalt (II) Thiocyanate, CAS no.71-48-7 / 150mg special treated absorbing granules / Special treated absorbing granules and NaOh. Catalyst

#### Physical / chemical Properties:

pH Value: 1,5.  
Bulk Density: 1,3g/cm<sup>3</sup>  
Vapor Pressure (20C) : Undetectable  
Solubility: 100% of ampoule reagent contents in water  
Flashpoint: Not applicable  
Boiling Point: Not applicable  
Flammability: Not applicable  
Ignition Temperature: Not applicable  
Auto ignition: Not applicable  
Explosion limits: Not applicable  
Explosion risks: Non  
Reactions: Non (ID)

---

**Stability:** Stable Reagent absorbed in special / coated treated granulate  
**Reactions:** Exposure over 300C may lead to small amounts of vapor (Undetectable)  
**Hazardous Properties:** The ampoules does not contain Hazard Materials according to Chemical safety standards  
**Hazard Class:** Not applicable  
**Precautionary Measures:** Avoid eye or skin contact with the reagent or granulate, this may lead to irritation (First aid: Rinsed with Water)  
**Environmental Aspects:** Environmental Friendly  
**Transport Regulations:** Not applicable  
**Storage:** <35 °C— F° 95

- Store the ampoules in the original packing to protect them from light
- Keep the ampoules out of reach from children
- Avoid storage at high temperatures
- The shelf life is indicated on the back of the package

---

**Packing Info** 10 x 2 ml glass ampoules with fraction line, according to DIN ISO 9187. Plastic caps filled with special granules.  
FORM B Packs of Cardboard box and polystyrene ampoule holder,  
10 spatula and 1 instruction sheet.  
Box marked with : Production Date - Batch Number - Expiry Date

#### Manufactured by:

M.M.C. International B.V.  
Frankenthalerstraat 16-18  
4816 KA BREDA  
The Netherlands  
Phone: +31-76-5711140  
Fax: +31-76-5719300  
URL: [www.narcotictests.com](http://www.narcotictests.com)