


1. Product & Company Identification

Product Name: McCabe H2O Plus+ Water Level Indicator Paste
 Item Number(s): MC 101
 Relevant Identified Use: Detects free water in petroleum storage tanks
 Restrictions On Use: **For Industrial Use Only**
 Manufacturer: McCabe & Sons, Inc.
 771 Clark Road
 Danville, VT 05828

For Emergencies Involving A Spill, Leak, Fire, Exposure or Accident, Contact:
McCabe & Sons, Inc. (802-748-6840)

2. Hazard(s) Identification

Hazard Classification	Hazard Statements	Hazard Category
H315 Skin corrosion/irritation (chapter 3.2)	Causes skin irritation	2
H320 Serious eye damage/eye irritation (chapter 3.3)	Causes eye irritation	2B
Signal Word:	Warning	
Hazard Pictograms:		

Precautionary Statements:

P264 Wash hands thoroughly after handling.
 P280 Wear eye protection.
 P302+P352 IF ON SKIN: wash with plenty of water.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P362 Take off contaminated clothing and wash before reuse.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
 P337+P313 IF eye irritation persists: Get medical advice/attention.

3. Composition/Information on Ingredients

Chemical Characterization: Mixture

Chemical Name	Synonym	CAS #	Concentration
Calcium Carbonate		471-34-1	55-65%

4. First Aid Measures

After Inhalation: Remove victim to fresh air. Administer oxygen if breathing is difficult. Seek medical attention if respiratory irritation or distress continues.
 After Skin Contact: Wash with plenty of water. If irritation occurs, seek medical attention. Wash contaminated clothing before re-use.
 After Eye Contact: Flush with a gentle, steady stream of water for at least 15 minutes. If irritation persists, seek medical attention.
 After Swallowing: Rinse mouth. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person. Seek medical attention if you feel unwell.



McCabe H2O Plus+
Water Level Indicator Paste

5. Firefighting Measures

Suitable Extinguishing Media: Dry chemical, carbon dioxide, foam, water spray.
 Specific Firefighting Measures: N/A Special Protective Equipment: N/A
 Unusual Fire and Explosion Hazards: N/A Special Precautions: N/A

6. Accidental Release Measures

Personal Precautions/Protective Equipment: Wear proper protective equipment to minimize exposure.
 Emergency Procedures: Dispose according to State, Federal & Local regulations.
 Environmental Precautions: N/A

7. Handling & Storage

Precautions For Safe Handling: Wear safety glasses and gloves as appropriate to minimize skin contact. Use product only as intended. Do not eat paste.
 Recommended Storage Conditions: Protect against physical damage. Store in a cool, dry, well ventilated location away from incompatibles. Do not store in unlabeled or mislabeled containers.

8. Exposure Controls / Personal Protection

OSHA Permissible Exposure Limits (PELs): N/A
 ACGIH Threshold Limit Values (TLVs): N/A
 Appropriate Engineering Controls: None under normal use conditions.
 Personal Protective Measures: Wear safety glasses with side-shields or splash-proof goggles to avoid eye contact. Wear protective clothing, including gloves, lab coat, apron or coveralls as appropriate to minimize skin contact.
 General Industrial Hygiene Practices: Wash with soap and water before meals and at the end of each work shift. Good manufacturing practices require amounts of any chemical be removed from the skin as soon as practical, especially before eating or smoking.

9. Physical & Chemical Properties

Appearance:	Green Paste	Odor:	None	Odor Threshold:	Unknown
pH:	N/A	Melting Point:	N/A	Freezing Point:	Unknown
Initial Boiling Point:	>267° C	Boiling Range:	Unknown	Flash Point:	355-375° F
Evaporation Rate:	Unknown	Flammability (Solid):	Unknown	Flammability (Gas):	Unknown
Lower Explosive Limit:	Unknown	Upper Explosive Limit:	Unknown	Vapor Pressure:	1
Vapor Density:	Unknown	Relative Density:	1.7	Solubility:	Partial
Log Kow:	Unknown	Auto-Ignition Temp:	Unknown	Decomposition Temp:	Unknown
Viscosity:	Unknown	VOC Content:	None		

10. Stability & Reactivity

Reactivity: No information available.
 Chemical Stability: This product is stable under normal handling & storage conditions.
 Other Information: No information available.



McCabe H2O Plus+ Water Level Indicator Paste

Official Safety Data Sheet (SDS)

11. Toxicological Information

Routes of Harmful Exposure: Skin, Eye Contact Acute Toxicity Estimates: N/A
Delayed, Immediate or Chronic Effects: Unknown
Observed Symptom Descriptions: May cause skin dryness or irritation. Expected to be an eye irritant due to texture.
Known or Suspected Carcinogens: None (NTP, IARC, OSHA)

12. Ecological Information

Ecological Toxicity Data: N/A Adsorption or Leaching Concerns: None known
Persistence & Degradability: 100% Biodegradable Other Adverse Effects: None known
Bioaccumulation Potential: Not expected to bioaccumulate

13. Disposal Considerations

Waste Disposal Recommendations: Dispose according to local/regional regulations.
Ecology - Waste Material: Avoid release to the environment.
EPA Hazardous Waste: No

14. Transport Information

US Department of Transportation: Not Regulated for Ground Transport

15. Regulatory Information

Inventory Status: All components included on TSCA, DSL, EINECS/ELINCS, AICS, MITI, KECL Inventory Lists.
Federal Regulations: All functional components of this product are listed on the TSCA inventory.

16. Other Information

California "Prop 65": This product contains no chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

This information is furnished without warranty, expressed or implied, and is believed to be accurate to the best knowledge of McCabe & Sons, Inc. The data on this SDS relates only to the specific material design herein. McCabe & Sons, Inc. assumes no legal responsibility for use or reliance upon this data. This product has been classified according to the hazard criteria of the CPR and this SDS contains all the information required by the CPR.