



Tank Protection Valves



1 - Model 197 EN P

Pressure Vacuum Vent with End Of Line Deflagration flame arrester
 Threaded connection: 2" - 4" - 6"
 Materials: Aluminium / Stainless Steel / PTFE Coated



3 - Model 1534 EN P

Vapor Recovery Adaptor with In-Line Deflagration Flame Arrester
 Threaded connection: 3" F x 3" CamLock M
 Materials: Aluminium



5 - Model 23/26

Shut-Off Valve
 Threaded connection: 1" 1/2 BSPP
 Materials: Cast Iron / PTFE coated



7 - Model 31

Shear Check Valve
 Threaded connection: 1" 1/2 BSPP
 Materials: Stainless Steel



13 - Model 1510

Anti-Siphon Valve
 Threaded connection: 1" 1/2 BSPP
 Materials: Aluminium / PTFE Coated



19 - Model 1600

Quick-dry Male Coupling
 Threaded connection: 2" - 2" 1/2 - 3"
 Materials: Aluminium / Stainless Steel



2 - Model 1524 EN P

Vapor Recovery Adaptor with In-Line Deflagration Flame Arrester
 Threaded connection: 3" F x 4" CamLock M
 Materials: Aluminium



4 - Model 1520

Vapor Recovery Coupler
 Threaded connection: 2" 1/2 F + 3" M BSPP
 Materials: Aluminium



6 - Model 15

Multifunction Check Valve
 Threaded connection: DN40
 Materials: Aluminium



8 - Model 180 EN P

In Line Deflagration Flame Arrester
 Threaded connection: 1" - 2" - 4"
 Materials: Brass / Stainless Steel / PTFE Coated



14 - Model 1527

Api Adaptor
 Threaded connection: API RP 1004 FLANGED 4" TTMA
 Materials: Aluminium



20 - Model 442

Overfill Prevention Valve
 Threaded connection: 3" BSPP
 Materials: Aluminium / Stainless Steel / PTFE Coated



9 - Model 181 EN P

In Line Deflagration Flame Arrester
 Threaded connection: 3" BSPP
 Materials: Brass / Stainless Steel / PTFE Coated



15 - Model 1527 L

Api Adapter with Lever
 Threaded connection: API RP 1004 FLANGED 4" TTMA
 Materials: Aluminium



10 - Model 330 EN P

In Line Deflagration Flame Arrester
 Threaded connection: 1" - 2" - 3" - 4" BSPP
 Materials: Aluminium / Stainless Steel / PTFE Coated



16 - Model 1450 A

Male CamLock Coupler
 Threaded connection: CamLock BSPP from 1" to 4"
 Materials: Aluminium / Stainless Steel



11 - Model 197 AT new

Pressure Vacuum Vent with Roll-Over Protection
 Threaded connection: FLANGED DN50
 Materials: Aluminium



17 - Model 93 CL

Vapor Stop CamLock
 Threaded connection: 4" CamLock
 Materials: Aluminium / PTFE Coated



12 - Model 55B

Adjustable Angle Check Valve
 Threaded connection: BSPP 1" - 2"
 Materials: PTFE coated / Brass and Anodized Aluminium



18 - Model 1605

Quick-Dry Female Hose Coupling
 Threaded connection: 2" - 3"
 Materials: Aluminium / PTFE Coated Stainless Steel



21 - Model 442 B

Overfill Prevention Valve
Threaded connection: 3" - 4" BSPP
Materials: Aluminium /
Stainless Steel / PTFE Coated



23 - Model 442 OR

Horizontal Overfill Prevention Valve
Threaded connection: 3" BSPP
Materials: Aluminium



22 - Model 442 S

Short Overfill Prevention Valve
Threaded connection: 3" BSPP
Materials: Aluminium



24 - Model 1521

Female Api Adapter with Lever
Threaded connection: API RP 1004
FLANGED 4" TTMA
Materials: Aluminium

For **over 50 years**, RIDART has built and provided valves and fittings for tanks.

We transform brass, aluminum, stainless steel into high quality safety devices.

We use the **most advanced technologies and equipment, invest in research and development of new products** that are designed and built to **meet future needs**.

RIDART offers a wide range of Quick Dry couplings, overfill prevention valves, shut-off valves, check valves, vapor stop, pressure vacuum vents and flame arresters, certified also for Hydrogen.

Our range of **safety devices** is designed to protect tanks from under or over pressure and dispersion of liquids in both normal and emergency conditions.

All our products **meet current legislation and standards**: ATEX Directive 2014/34/EU covering all equipment used in confined areas.

Global Presence



RIDART s.r.l.

via Adua, 17 - 21045 Gazzada Schianno (VA) ITALY
P.IVA/C.F. IT 01454770122

www.ridart.it

export@ridart.it | sales@ridart.it

+39 0332 463301



ISO 9001:2015

**SAFETY VALVES
FOR PETROCHEMICAL
STORAGE TANKS**

RIDART