

TODO

08

BALL VALVES

IMPROVED PERFORMANCE, LARGER SAVINGS

TODO®'s lightweight ball valves offer real cash savings to the road and tanker industry. Designed to work specifically in any context which involves regular compartment switching, the ball valves are also used in fixed plant and mobile refuelling applications. The unrivalled sandwich design ensures that quick, easy valve changeover is permitted with a PTFE seal preventing leakage – all of which helps to save businesses time and money.

TODO-MATIC®

TODO-GAS

NGX SERIES

MARINE BREAK-AWAY

TODO® SAFETY PRESSURE TIGHTCAP (PTC)

AVIATION COUPLINGS

TODO® FUEL NOZZLES

BALL VALVES

TODO® SWIVEL



TODO**ONE WAY BALL VALVES**2"DN50
3"DN80
4"DN100
→**FEATURES**

- ✓ Aluminium valve body and ball
- ✓ Easy to service
- ✓ PTFE ball sealing
- ✓ Operates under pressure and flow
- ✓ Extremely reliable
- ✓ Robust construction
- ✓ Available with handle or actuator
- ✓ Working Pressure: PN 10
- ✓ Safety factor: 5:1

TODO-MATIC®**TODO-GAS****NGX SERIES****MARINE BREAK-AWAY****TODO® SAFETY PRESSURE TIGHTCAP (PTC)****AVIATION COUPLINGS****TODO® FUEL NOZZLES****BALL VALVES****TODO® SWIVEL**

— Ideal for use in road tankers and a variety of plant applications to permit flow in one direction only, TODO® one way ball valves are available with pneumatic actuation and with a wide selection of end connectors.

Available products:

- 4" ball valve with actuator
- 3" ball valve
- 2" ball valve

— [READ MORE](#)

[REQUEST A QUOTE](#)



TODO**TWO WAY BALL VALVES**2"DN50
3"DN80
4"DN100
→**FEATURES**

- ✓ Aluminium valve body and ball
- ✓ Easy to service
- ✓ PTFE ball sealing
- ✓ Operates under pressure and flow
- ✓ Extremely reliable
- ✓ Robust construction
- ✓ Available with handle or actuator
- ✓ Working Pressure: PN 10
- ✓ Safety factor: 5:1

TODO-MATIC®**TODO-GAS****NGX SERIES****MARINE BREAK-AWAY****TODO® SAFETY PRESSURE TIGHTCAP (PTC)****AVIATION COUPLINGS****TODO® FUEL NOZZLES****BALL VALVES****TODO® SWIVEL**

Offering all the benefits of one way ball valves, the two way ball valves range is ideal for use as a compartment or tank switching valve, to control the direction of flow between either of two outlets.

Available products:

- 4" ball valve with actuator
- 3" ball valve
- 2" ball valve

[READ MORE](#)[REQUEST A QUOTE](#)