

03

NGX SERIES

REDUCED SPILLAGE WHEN LOADING OR UNLOADING HAZARDOUS LIQUIDS

The NGX series focuses on preventing damage to the loading system while ensuring minimal product loss. The range combines flow optimisation with the latest innovations to bring you an industry-leading range of Safety Break-Aways. In the event of a drive/pull away incident, break pins are subjected to breaking force and eventually shear, causing the two halves of the Break-Away to separate. The two halves then rapidly close off, preventing liquid/gas from escaping the broken line.

TODO-MATIC®

TODO-GAS

NGX SERIES

MARINE BREAK-AWAY

TODO® SAFETY PRESSURE TIGHTCAP (PTC)

AVIATION COUPLINGS

TODO® FUEL NOZZLES

BALL VALVES

TODO® SWIVEL



TODO

2", 3", 4" TODO® BREAK-AWAY

DN50
DN80
DN100



HOW
IT
WORKS



TODO-MATIC®

TODO-GAS

NGX SERIES

MARINE BREAK-AWAY

TODO® SAFETY PRESSURE TIGHTCAP (PTC)

AVIATION COUPLINGS

TODO® FUEL NOZZLES

BALL VALVES

TODO® SWIVEL


- Extremely quick closing time
- Minimum loss of product
- Suitable for a wide range of applications

READ MORE

REQUEST A QUOTE



TODO



TODO-MATIC®

TODO-GAS

NGX SERIES

MARINE BREAK-AWAY

TODO® SAFETY PRESSURE TIGHTCAP (PTC)

AVIATION COUPLINGS

TODO® FUEL NOZZLES

BALL VALVES

TODO® SWIVEL

- Faster loading/unloading due to optimised flow rates
- Simple to retrofit onto loading arms
- Easier to handle when loading/unloading
- Reduced maintenance due to internal redesign and new seal placement
- Easy to reset on-site, saving time and money

READ MORE

REQUEST A QUOTE

